



**TÜRK STANDARDLARI ENSTİTÜSÜ**  
**TÜRK STANDARDLARINA UYGUNLUK BELGESİ**  
**TURKISH STANDARDS INSTITUTION**  
**CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS**

Markanın Tanımı Description of the Mark  
TSE veya/or  veya/or T S E

**BELGE NUMARASI** 000930-TSE-02/05  
*REFERENCE NUMBER OF LICENCE*

**BELGENİN İLK VERİLİŞ TARİHİ** 13.02.2008  
*DATE OF FIRST ISSUE OF LICENCE*

**BELGENİN SON GEÇERLİLİK TARİHİ** 13.02.2022  
*LICENCE VALID UNTIL*

**BELGE SAHİBİ KURULUŞUN ADI** AS KARO İMALAT İNŞ.NAK.İHR.İTH.SAN.VE TİC.LTD.ŞTİ.  
*NAME OF THE LICENCE HOLDER*

**BELGE SAHİBİ KURULUŞUN ADRESİ** BAĞLARBAŞI MAH. 67700 SK. AS KARO NO:18 /1 AKDENİZ  
*ADDRESS OF THE LICENCE HOLDER* MERSİN/TÜRKİYE

**ÜRETİM YERİ ADI** AS KARO İMALAT İNŞ.NAK.İHR.İTH.SAN.VE TİC.LTD.ŞTİ.  
*NAME OF THE MANUFACTURING PLACE*

**ÜRETİM YERİ ADRESİ** BAĞLARBAŞI MH. 700 SK. NO:18 AKDENİZ MERSİN / TÜRKİYE  
*ADDRESS OF THE MANUFACTURING PLACE*

**İPTAL EDİLEN BELGE NUMARASI (Varsa)** 000930-TSE-02/04  
*INDICATION OF SUPERSEDED LICENCE (if any)*

**TESCİLLİ TİCARİ MARKASI**   
*REGISTERED TRADE MARK*

**İLGİLİ TÜRK STANDARDI** TS 213-1 EN 13748-1 / 27.09.2005  
*RELATED TURKISH STANDARD*

**BELGE KAPSAMI**  
*SCOPE OF LICENCE*



Terrazo tiles - Terrazo tiles for internal use

- 1- 400mm X 400mm X 21mm dimensions, Ultimate load category BL1, shear resistance min: 36 usrv , Terrazo tiles for internal use with one layer, Fire Reaction Class: A1fl
- 2- 333mm X 333mm X 21mm dimensions, Ultimate load category BLIII, shear resistance min: 22 usrv , Terrazo tiles for internal use with one layer, Fire Reaction Class: A1fl
- 3- 400mm X 400mm X 29mm dimensions, ultimate load category BLIII, shear resistance min: 24 usrv , Terrazo tiles for internal use with double layer, Fire Reaction Class: A1fl
- 4- 400mm X 400mm X 19mm dimensions, Ultimate load category BLIII, Terrazo tiles for internal use with one layer, Fire Reaction Class: A1fl
- 5- 600mm X 600mm X 32mm dimensions, Ultimate load category BLIII, shear resistance min: 36 usrv , Terrazo tiles for internal use with one layer, Fire Reaction Class: A1fl
- 6- 600mm X 800mm X 29 mm dimensions, Ultimate load category BLIII, shear resistance min: 36 usrv, Terrazo tiles

*e-imza/e-signed*

11.02.2021

On Behalf Of The Head Of Certification Center  
FATİH KURT

TSE ADANA CERTIFICATION DIRECTOR

\*This certificate also shows that the production place of the certified product meets the requirements of Institute.

\*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

\*TSE \* Address: Yakapınar Mah. D-400 Bulvarı No:174 Yüreğir \* Telephone: 03224581940-41\* Fax: 03224588243

\*TSE HEAD OF CERTIFICATION CENTER, Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail : bmb@tse.org.tr , web : www.tse.org.tr





**TÜRK STANDARDLARI ENSTİTÜSÜ**  
**TÜRK STANDARDLARINA UYGUNLUK BELGESİ**  
**TURKISH STANDARDS INSTITUTION**  
**CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS**

Markanın Tanımı Description of the Mark  
**TSE** veya/or  veya/or **T S E**

**BELGE KAPSAMI ( 000930-TSE-02/05nolu belge devamı) : AS KARO İMALAT İNŞ.NAK.İHR.İTH.SAN.VE TİC.LTD.ŞTİ.**  
**İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS 213-1 EN 13748-1 / 27.09.2005**

for internal use with one layer, Fire Reaction Class: A1fl

*e-imzalı/e-signed*

11.02.2021

On Behalf Of The Head Of Certification Center  
**FATİH KURT**

**TSE ADANA CERTIFICATION DIRECTÖR**

\*This certificate also shows that the production place of the certified product meets the requirements of Institute.

\*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

\*TSE \* Address: Yakapınar Mah. D-400 Bulvarı No:174 Yüreğir \* Telephone: 03224581940-41\* Fax: 03224588243

\*TSE HEAD OF CERTIFICATION CENTER, Address: Necatibey Cad. No.112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail: bmb@tse.org.tr , web : www.tse.org.tr

